



# NEWSTAR

## DECLARATION OF PERFORMANCE

No. 036CPR2013-07-02

1	<i>Unique identification code of the product-type:</i> <b>930000 Mortice Limiting Stay</b>
2	<i>Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:</i> <b>930000 Mortice Limiting Stay</b>
3	<i>Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:</i> <b>suitable for fire/smoke resistant door assemblies</b>
4	<i>Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):</i> <b>Newstar Door Controls Ltd</b>
5	<i>Where applicable, name and address of the authorised representative whose mandate covers the tasks specified in Article 12(2):</i> <b>N/A</b>
6	<i>System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:</i> <b>System 2+</b>
7	<i>In case of the declaration of performance concerning a construction product covered by a harmonized standard:</i> <b>DHF TS-003:2005</b>

8 *Declared Performance*

Essential Characteristics	Performance	Harmonised technical specification
Category Of Use	Grade 1 – Low Duty	DHF TS-003:2005
Durability	-	
Test Door Mass	-	
Suitability for fire/smoke door use	suitable for use on fire/smoke door assemblies: Grade 1	
Safety	-	
Corrosion Resistance	Grade 2 - Moderate corrosion resistance	
Security	Grade 3 2,500 N	
Product Type	Grade L - Door Limiter	

9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

*Toby Staff*

Toby Staff

Signed for and on behalf of Newstar Door Controls Ltd